


<b>Description:</b>	Industrial mirror 40x60
<b>Item number:</b>	TM-I AC 40 X 60
<b>GTIN:</b>	4250912306790
<b>Customs tariff number:</b>	39269097
<b>Mirror plate (cm):</b>	40 x 60
<b>Observation distance (m):</b>	9-15
<b>Width (mm):</b>	55
<b>Height (mm):</b>	410
<b>Depth/Length (mm):</b>	610
<b>Material:</b>	Acrylic
<b>Material surface:</b>	UV-resistant impact resistant to DIN ISO 179-1
<b>Frame material:</b>	Polyvinyl chloride (PVC)
<b>Frame colour:</b>	red
<b>Area of application:</b>	indoor and outdoor use
<b>Net weight (kg):</b>	4
<b>Gross weight (kg):</b>	5,6
<b>Mounting location:</b>	wall post
<b>Mounting:</b>	screw together
<b>Delivery is:</b>	partly disassembled
<b>Number of mounting holes:</b>	4
<b>Fixing included:</b>	4-point ball joint mounting Art.No.: 747.01-7
<b>Warranty:</b>	5 years
<b>Brand:</b>	Dancop
<b>Approval / Certification:</b>	TÜV-GS and wind load certified
<b>ETIM Class Code:</b>	EC003579




<b>Description:</b>	Industrial mirror Ø50
<b>Item number:</b>	TM-I AC 50
<b>GTIN:</b>	4250912306806
<b>Customs tariff number:</b>	39269097
<b>Mirror plate (cm):</b>	50 Ø
<b>Observation distance (m):</b>	5-7
<b>Depth/Length (mm):</b>	510
<b>Diameter (mm):</b>	505
<b>Material:</b>	Acrylic
<b>Material surface:</b>	UV-resistant impact resistant to DIN ISO 179-1
<b>Frame material:</b>	Polyvinyl chloride (PVC)
<b>Frame colour:</b>	red
<b>Area of application:</b>	indoor and outdoor use
<b>Net weight (kg):</b>	4,16
<b>Gross weight (kg):</b>	5
<b>Mounting location:</b>	wall post
<b>Mounting:</b>	screw together
<b>Delivery is:</b>	partly disassembled
<b>Number of mounting holes:</b>	4
<b>Fixing included:</b>	4-point ball joint mounting Art.No.: 747.01-7
<b>Warranty:</b>	5 years
<b>Brand:</b>	Dancop
<b>Approval / Certification:</b>	TÜV-GS and wind load certified
<b>ETIM Class Code:</b>	EC003579



<b>Description:</b>	Industrial mirror Ø60
<b>Item number:</b>	TM-I AC 60
<b>GTIN:</b>	4250912306813
<b>Customs tariff number:</b>	39269097
<b>Mirror plate (cm):</b>	60 Ø
<b>Observation distance (m):</b>	9-15
<b>Depth/Length (mm):</b>	620
<b>Diameter (mm):</b>	605
<b>Material:</b>	Acrylic
<b>Material surface:</b>	UV-resistant impact resistant to DIN ISO 179-1
<b>Frame material:</b>	Polyvinyl chloride (PVC)
<b>Frame colour:</b>	red
<b>Area of application:</b>	indoor and outdoor use
<b>Net weight (kg):</b>	4,47
<b>Gross weight (kg):</b>	6,8
<b>Mounting location:</b>	wall post
<b>Mounting:</b>	screw together
<b>Delivery is:</b>	partly disassembled
<b>Number of mounting holes:</b>	4
<b>Fixing included:</b>	4-point ball joint mounting Art.No.: 747.01-7
<b>Warranty:</b>	5 years
<b>Brand:</b>	Dancop
<b>Approval / Certification:</b>	TÜV-GS and wind load certified
<b>ETIM Class Code:</b>	EC003579



<b>Description:</b>	Industrial mirror 60x80
<b>Item number:</b>	TM-I AC 60 X 80
<b>GTIN:</b>	4250912306820
<b>Customs tariff number:</b>	39269097
<b>Mirror plate (cm):</b>	60 x 80
<b>Observation distance (m):</b>	15-22
<b>Width (mm):</b>	810
<b>Height (mm):</b>	610
<b>Depth/Length (mm):</b>	30
<b>Material:</b>	Acrylic
<b>Material surface:</b>	UV-resistant impact resistant to DIN ISO 179-1
<b>Frame material:</b>	Polyvinyl chloride (PVC)
<b>Frame colour:</b>	red
<b>Area of application:</b>	indoor and outdoor use
<b>Net weight (kg):</b>	6,4
<b>Gross weight (kg):</b>	7,8
<b>Mounting location:</b>	wall post
<b>Mounting:</b>	screw together
<b>Delivery is:</b>	partly disassembled
<b>Number of mounting holes:</b>	4
<b>Fixing included:</b>	4-point ball joint mounting Art.No.: 747.01-7
<b>Warranty:</b>	5 years
<b>Brand:</b>	Dancop
<b>Approval / Certification:</b>	TÜV-GS and wind load certified
<b>ETIM Class Code:</b>	EC003579



<b>Description:</b>	Industrial mirror Ø80
<b>Item number:</b>	TM-I AC 80
<b>GTIN:</b>	4250912306837
<b>Customs tariff number:</b>	39269097
<b>Mirror plate (cm):</b>	80 Ø
<b>Observation distance (m):</b>	15-22
<b>Depth/Length (mm):</b>	805
<b>Diameter (mm):</b>	805
<b>Material:</b>	Acrylic
<b>Material surface:</b>	UV-resistant impact resistant to DIN ISO 179-1
<b>Frame material:</b>	Polyvinyl chloride (PVC)
<b>Frame colour:</b>	red
<b>Area of application:</b>	indoor and outdoor use
<b>Net weight (kg):</b>	6,5
<b>Gross weight (kg):</b>	7,8
<b>Mounting location:</b>	wall post
<b>Mounting:</b>	screw together
<b>Delivery is:</b>	partly disassembled
<b>Number of mounting holes:</b>	4
<b>Fixing included:</b>	4-point ball joint mounting Art.No.: 747.01-7
<b>Warranty:</b>	5 years
<b>Brand:</b>	Dancop
<b>Approval / Certification:</b>	TÜV-GS and wind load certified
<b>ETIM Class Code:</b>	EC003579



<b>Description:</b>	wall bracket
<b>Item number:</b>	3093
<b>GTIN:</b>	4250912302952
<b>Customs tariff number:</b>	73269098
<b>Height (mm):</b>	565
<b>Depth/Length (mm):</b>	500
<b>Diameter (mm):</b>	60
<b>Net weight (kg):</b>	3,692
<b>Gross weight (kg):</b>	9,921
<b>Material:</b>	Steel
<b>Material surface:</b>	galvanized
<b>Colour:</b>	silver
<b>Area of application:</b>	indoor and outdoor use
<b>Mounting location:</b>	wall
<b>Mounting:</b>	screw together
<b>Delivery is:</b>	pre-assembled
<b>Number of mounting holes:</b>	4
<b>Warranty:</b>	1 year
<b>Brand:</b>	Dancop
<b>ETIM Class Code:</b>	EC003579

